SWAN
AIR COMPRESSORS

N TYPE SERIES

Air Cooled Piston Compressors



N TYPE COMPRESSORS

N series is equipped with distinctive enforced lubricating design to ensure sufficient and precise lubrication. It protects the air compressor from being damaged due to inadequate lubrication.

SVU-205N

SWU-307N

HWU-415N

Innovative Enforced Lubricating Design

N series is designed with enforced lubricating mechanism to guarantee complete lubrication. Being equipped with built-in oil pipes, the components inside the pump can be lubricated adequately.

Enlarged Cooling Fan

Enlarged cooling fan dissipates heat efficiently, which ensures continuous running and long service life.

Smart Control Panel

The control panel is designed with various warning notices, protection setup, remote control supporting system and multi units control function, which allows users to understand the real-time operating status of the air compressor.

Patented Water Drain Mechanism

Patented water drain mechanism mounted on the top of air tank makes daily water drainage much easier.

Low Oil Pressure Switch

Low oil pressure switch avoids any possibility of the compressor being damaged due to failure in lubrication.

COMPRESSOR HEAD STRENGTH

N series is designed to meet the various requirements from industries. Its rigid and robust structure allows heavy duty use. Besides, the unique features of being equipped with multiple protection devices ensure long service life of N series air compressors.

- ✓ Enforced lubricating mechanism guarantees well lubrication of components.
- ✓ Oil filter is installed to ensure clean lubricating oil.
- ✓ Low oil pressure switch will trigger to stop the air compressor while lubricating oil pressure is too low, which protects the air compressor from being harmed.





Specs. / Model	Motor (kw/hp)		Working Pressure (kg/cm²)	Speed (r.p.m)		F.A.D. (l/min)		Tank Capacity (liter)	Compressor Pumps Physical Dimensions		Compressor Units Physical Dimensions	
				50HZ	60HZ	50HZ	60HZ		LxWxH(mm)	Weight(kg)	LxWxH(mm)	Weight(kg)
SVU-205N	3.7	5	8	516	620	450	545	155	560x400x450	70	1400x520x980	182
SWU-307N	5.5	7.5		706	850	723	872	240	650x460x550	93	1470x650x1150	243
SWU-310N	7.5	10		706	850	955	1151	300	700x460x560	95	1835x650x1200	263
SWU-415N	11	15		706	850	1229	1480	300	700x520x550	118	1835x650x1200	290
HVU-205N	3.7	5	16	750	900	338	406	237	560x400x450	70	1470x650x1150	239
HWU-307N	5.5	7.5		706	850	503	606	237	650x460x550	93	1470x650x1150	273
HWU-310N	7.5	10		706	850	652	786	237	700x460x550	95	1470x650x1150	275
HWU-415N	11	15	12	706	850	929	1120	300	700x520x550	118	1835x650x1200	365
HWU-307NH	5.5	7.5	30	560	700	277	346	310	700x450x560	94	1850x650x1160	273
HWU-310NH	7.5	10		560	700	371	464	310	700x450x560	95	1850x650x1160	275

※Reserve the right to alter design or specifications. Due to time lag, actual specification may differ from that shown above.
※Other specific requirement about working pressure, horsepower, air delivery, etc. are available upon request.

東正® 鐵工廠股份有限公司

TONG CHENG IRON WORKS CO., LTD.
No. 16, Sec. 2, Ta Chin Street, South Dist., Taichung 402026, Taiwan
swantc@swanair.com.tw

總公司
402026 台中市南區大慶街二段16號
04 2261 2135 04 2262 8246/04 2261 5465
www.swan-aircompressor.com

台北營業所
248018 新北市五股區五權五路43號
02 2299 1285 02 2298 2296

台南營業所
710005 台南市永康區中正南路635號
06 253 9848 06 253 9849

CE

TÜVRheinland CERTIFIED Management System ISO 9001:2015

PRINTED WITH SOY INK

選用大豆油墨，守護地球
永續，實現美好未來。
Opt for soy ink, protect the Earth.
Sustainability, secure a brighter future.

TC2024409B